

6x37 is a cross laid construction used for general engineering applications. In the European mainland, vast quantities of 6x37 are used for a variety of applications.




Galvanised



Pulley Suitable



Flexible



### Breaking Load Table

Nominal Diameter [mm]	Approximate Mass [kg/m]	Minimum breaking loads - 1770 Mpa		Minimum breaking loads - 1960 Mpa	
		[kn]	[kg]	[kn]	[kg]
12	0.549	81.3	8,293	90.0	9,183
13	0.644	95.4	9,733	105.7	10,777
14	0.747	110.7	11,288	122.5	12,499
16	0.975	144.5	14,743	160.1	16,326
18	1.234	182.9	18,659	202.6	20,662
20	1.524	225.9	23,036	250.1	25,509
22	1.844	273.3	27,874	302.6	30,866
24	2.195	325.2	33,173	360.1	36,734
26	2.576	381.7	38,932	422.7	43,111
28	2.987	442.7	45,152	490.2	49,999
30	3.429	508.2	51,833	562.7	57,397
32	3.901	578.2	58,974	640.2	65,305
34	4.404	652.7	66,576	722.8	73,723
36	4.938	731.8	74,639	810.3	82,651
38	5.502	815.3	83,163	902.8	92,090
40	6.096	903.4	92,147	1000.4	102,039
42	6.721	996.0	101,592	1102.9	112,498
44	7.376	1093.1	111,498	1210.5	123,467
46	8.062	1194.8	121,865	1323.0	134,946
48	8.778	1300.9	132,692	1440.6	146,936